



savigny


Sangles - Lifting Slings



Le Fabricant Spécialiste de la fixation technique
Specialist manufacturer of technical fixings since 1946

Sangles à 2 boucles / Lifting slings eyeslinks SAV

Gamme / Range **SB**



Couleur / Color	F Max 1000 kg	l x e (mm)	L1 (mm)	l2 (mm)	L (m)	REFERENCE
VIOLET / Purple		30X7	200	15	0,5	SB 10050
					1	SB 10100
					1,5	SB 10150
					2	SB 10200
					2,5	SB 10250
					3	SB 10300
					4,5	SB 10400
					5	SB 10500
					6	SB 10600
					8	SB 10800
					10	SB 11000
					12	SB 11200


Couleur / Color	F Max 1000 kg	l x e (mm)	L1 (mm)	l2 (mm)	L (m)	REFERENCE
VIOLET / Purple		50X7	200	15	0,5	SB 1-050
					1	SB 1-100
					1,5	SB 1-150
					2	SB 1-200
					2,5	SB 1-250
					3	SB 1-300
					4,5	SB 1-400
					5	SB 1-500
6	SB 1-600					

Couleur / Color	F Max 2000 kg	l x e (mm)	L1 (mm)	l2 (mm)	L (m)	REFERENCE
VERT / Green		60X7	300	30	1	SB 20100
					1,5	SB 20150
					2	SB 20200
					2,5	SB 20250
					3	SB 20300
					4	SB 20400
					5	SB 20500
					6	SB 20600
					8	SB 20800
					10	SB 21000
					12	SB 21200

0°	0°	≤ 6°	0° à 45°	45° à 60°	0° à 45°	0° à 45°	45° à 60°	45° à 60°
F	F x 0,8	F x 2	F x 1,4	F	F x 1,4	F x 1,12	F	F x 0,8

Sangles à 2 boucles / Lifting slings eyeslinks SAV

Gamme / Range **SB**



Couleur / Color	F Max 3000 kg	ℓ x e (mm)	L1 (mm)	ℓ 2 (mm)	L (m)	REFERENCE
JAUNE / Yellow		90X7	350	30	1	SB 30100
					1,5	SB 30150
					2	SB 30200
					2,5	SB 30250
					3	SB 30300
					4	SB 30400
					5	SB 30500
					6	SB 30600
					8	SB 30800
					10	SB 31000
					12	SB 31200


Couleur / Color	F Max 4000 kg	ℓ x e (mm)	L1 (mm)	ℓ 2 (mm)	L (m)	REFERENCE
GRIS / Gray		120X7	425	40	1	SB 40100
					1,5	SB 40150
					2	SB 40200
					2,5	SB 40250
					3	SB 40300
					4	SB 40400
					5	SB 40500
					6	SB 40600
					8	SB 40800
					10	SB 41000
					12	SB 41200

Couleur / Color	F Max 4000 kg	ℓ x e (mm)	L1 (mm)	ℓ 2 (mm)	L (m)	REFERENCE
ROUGE / Red		150X7	500	50	1	SB 50100
					1,5	SB 50150
					2	SB 50200
					2,5	SB 50250
					3	SB 50300
					4	SB 50400
					5	SB 50500
					6	SB 50600
					8	SB 50800
					10	SB 51000
					12	SB 51200

0°	0°	≤ 6°	0° à 45°	45° à 60°	0° à 45°	0° à 45°	45° à 60°	45° à 60°
F	F x 0,8	F x 2	F x 1,4	F	F x 1,4	F x 1,12	F	F x 0,8

Sangles à 2 boucles / Lifting slings eyeslinks SAV

Gamme / Range **SB**



Couleur / Color	F Max 6000 kg	ℓ x e (mm)	L1 (mm)	ℓ 2 (mm)	L (m)	REFERENCE
MARRON / Brown		180X7	550	60	2	SB 60200
					3	SB 60300
					4	SB 60400
					5	SB 60500
					6	SB 60600
					8	SB 60800
					10	SB 61000
					12	SB 61200

Couleur / Color	F Max 8000 kg	ℓ x e (mm)	L1 (mm)	ℓ 2 (mm)	L (m)	REFERENCE
BLEU / Blue		240X7	600	80	2	SB 80200
					3	SB 80300
					4	SB 80400
					5	SB 80500
					6	SB 80600
					7	SB 80700
					8	SB 80800
					10	SB 81000
					12	SB 81200


Couleur / Color	F Max 10000 kg	ℓ x e (mm)	L1 (mm)	ℓ 2 (mm)	L (m)	REFERENCE
ORANGE / Orange		300X7	750	100	2	SB 100200
					3	SB 100300
					4	SB 100400
					5	SB 100500
					6	SB 100600
					8	SB 100800
					10	SB 101000
					12	SB 101200


0° 	0° 	≤ 6° 	0° à 45° 	45° à 60° 	0° à 45° 	0° à 45° 	45° à 60° 	45° à 60°
F	F x 0,8	F x 2	F x 1,4	F	F x 1,4	F x 1,12	F	F x 0,8


Sangles rondes / Lifting roundslings













Gamme / Range **SR**

Couleur / Color	F Max (kg)	L (m)	Circonférence / Circumference (m)	REFERENCE
VIOLET / Purple 	1000 kg	0,5	1	SR 10100
		1	2	SR 10200
		1,5	3	SR 10300
		2	4	SR 10400
		2,5	5	SR 10500
		3	6	SR 10600
		4	8	SR 10800
		5	10	SR 11000
		6	12	SR 11200
8	16	SR 11600		

Couleur / Color	F Max (kg)	L (m)	Circonférence / Circumference (m)	REFERENCE
VERT / Green 	2000 kg	0,5	1	SR 20100
		1	2	SR 20200
		1,5	3	SR 20300
		2	4	SR 20400
		2,5	5	SR 20500
		3	6	SR 20600
		4	8	SR 20800
		5	10	SR 21000
		6	12	SR 21200
8	16	SR 21600		

Couleur / Color	F Max (kg)	L (m)	Circonférence / Circumference (m)	REFERENCE
JAUNE / Yellow 	3000 kg	1	2	SR 30200
		1,5	3	SR 30300
		2	4	SR 30400
		2,5	5	SR 30500
		3	6	SR 30600
		4	8	SR 30800
		5	10	SR 31000
		6	12	SR 31200
		8	16	SR 31600

Couleur / Color	F Max (kg)	L (m)	Circonférence / Circumference (m)	REFERENCE
GRIS / Gray 	4000 kg	1	2	SR 40200
		1,5	3	SR 40300
		2	4	SR 40400
		2,5	5	SR 40500
		3	6	SR 40600
		4	8	SR 40800
		5	10	SR 41000
		6	12	SR 41200
		8	16	SR 41600

0° 	0° 	≤ 6° 	0° à 45° 	45° à 60° 	0° à 45° 	0° à 45° 	45° à 60° 	45° à 60° 
F	F x 0,8	F x 2	F x 1,4	F	F x 1,4	F x 1,12	F	F x 0,8

Sangles rondes / Lifting roundslings



Gamme / Range **SR**

Couleur / Color	F Max (kg)	L (m)	Circonférence / Circumference (m)	REFERENCE
ROUGE / Red	4000 kg	1	2	SR 50200
		1,5	3	SR 50300
		2	4	SR 50400
		2,5	5	SR 50500
		3	6	SR 50600
		4	8	SR 50800
		5	10	SR 51000
		6	12	SR 51200
		8	16	SR 51600

Couleur / Color	F Max (kg)	L (m)	Circonférence / Circumference (m)	REFERENCE
MARRON / Brown	6000 kg	1	2	SR 60200
		1,5	3	SR 60300
		2	4	SR 60400
		2,5	5	SR 60500
		3	6	SR 60600
		4	8	SR 60800
		5	10	SR 61000
		6	12	SR 61200
		8	16	SR 61600

Couleur / Color	F Max (kg)	L (m)	Circonférence / Circumference (m)	REFERENCE
BLEU / Blue	8000 kg	1	2	SR 80200
		1,5	3	SR 80300
		2	4	SR 80400
		2,5	5	SR 80500
		3	6	SR 80600
		4	8	SR 80800
		5	10	SR 81000
		6	12	SR 81200
		8	16	SR 81600

Couleur / Color	F Max (kg)	L (m)	Circonférence / Circumference (m)	REFERENCE
ORANGE / Orange	10000 kg	1	2	SR 100200
		1,5	3	SR 100300
		2	4	SR 100400
		2,5	5	SR 100500
		3	6	SR 100600
		4	8	SR 100800
		5	10	SR 101000
		6	12	SR 101200
		8	16	SR 101600

0°	0°	≤ 6°	0° à 45°	45° à 60°	0° à 45°	0° à 45°	45° à 60°	45° à 60°
F	F x 0,8	F x 2	F x 1,4	F	F x 1,4	F x 1,12	F	F x 0,8

Sangles à cliquet / Lashing system

Gamme / Range **SAC**



Couleur / Color	Largeur / width (m)	L 1 (m)	L 2 (m)	L (m)	F Max (daN)	REFERENCE
BLEU / Blue	25	0.5	3.5	4	500	SAC 10400
		0.5	3.5	4	750	SAC 15400
		0.5	5.5	6	750	SAC 15600
VERT / Green	35	0.5	5.5	6	1000	SAC 20600
BLEU / Blue	50	0.5	7.5	8	2000	SAC 40800
		0.5	8,5	9	2000	SAC 40900
ORANGE / Orange	50	0.5	7.5	8	2500	SAC 50800
		0.5	8,5	9	2500	SAC 50900

Sangles à cliquet / Lashing system


Gamme / Range **SAG**



Couleur / Color	Largeur / width (m)	L 1 (m)	L 2 (m)	L (m)	F Max (daN)	REFERENCE
BLEU / Blue	25	0.5	3.5	4	500	SAG 10400
VERT / Green	35	0.5	5.5	6	1000	SAG 20600
BLEU / Blue	50	0.5	7.5	8	2000	SAG 40800
		0.5	8.5	9	2000	SAG 40900
ORANGE / Orange	50	0.5	7.5	8	2500	SAG 50800
		0.5	8.5	9	2500	SAG 50900

L'ensemble de notre gamme

Our whole range



938, avenue Saint-Just • CS 90115
Zone Industrielle de Vaux-le-Pénil
77006 MELUN Cedex - FRANCE

Tél. : 33 (0) 1 60 56 43 03

Fax : 33 (0) 1 64 39 38 52

e-mail : commercial@savigny-sas.com

www.savigny-sas.com

Société Anonyme Simplifiée au capital de 128 000 Euros - R.C. 74 B 79
Siret 956 200 356 00023 - TVA FR 01.956.200.356 - CODE APE 4669 B - CODE O.T.A.N. F2400